HIKVISION

لیست قیمت دی ماه

دالیا اسمارت

Description	2MP | Economy Series	2MP | Economy Series	2MP | Economy Series	2MP | Economy Series	2MP | Economy Series
Model	DS-2CD1021G0E-I	DS-2CD1023G0E-I	DS-2CD1023G0-I	DS-2CD1023G0-IUF	DS-2CD1027G0-L
Image Sensor	1/2.8“ Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (2.0, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
Microphone Support	NO	NO	NO	**Built-in**	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR **(Color Vu)**
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
Sd-Card	NO	NO	NO	Up to 256Gb	NO
Material & Protection	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Aluminum (IP67)
Price Pars	CALL	2.694.000	CALL	4.077.000	CALL
Price Hika	2.190.000	2.560.000	CALL	CALL	3.700.000
Price Fara	CALL	2.700.000	CALL	CALL	3.330.000

Description	4MP | Economy Series	4MP | Economy Series	4MP | Economy Series	4MP | Economy Series	
Model	DS-2CD1043G0-I	DS-2CD1043G0-IUF	DS-2CD1047G0-L	DS-2CD1047G2-L	
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	
Resolution	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
Microphone Support	NO	**Built-in**	NO	NO	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR **(Color Vu)**	Up to 30m IR **(Color Vu)**	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	NO	NO	NO	Up to 256Gb	
Material & Protection	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal (IP67)	Aluminum (IP67)	
Price Pars	3.516.000	CALL	CALL	CALL	
Price Hika	3.660.000	4.430.000	5.100.000	CALL	
Price Fara	3.570.000	CALL	5.050.000	CALL	

Description	5MP | Economy Series	5MP | Economy Series			
Model	DS-2CD1053G0-I	DS-2CD1057G0-L			
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS			
Resolution	(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps			
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.001 Lux @ (F1.0 AGC ON)			
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens			
Microphone Support	NO	NO			
IR Range	Up to 30m IR	Up to 30m IR **(Color Vu)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	NO	NO			
Material & Protection	Metal & plastic (IP67)	Aluminum (IP67)			
Price Pars	5.194.000	5.882.000			
Price Hika	CALL	CALL			
Price Fara	4.300.000	CALL			

Description	2MP | Economy Series	4MP | Economy Series	4MP | Economy Series	5MP | Economy Series	
Model	DS-2CD1123G0E-I	DS-2CD1143G0-I	DS-2CD1143G0-IUF	DS-2CD1153G0-I	
Image Sensor	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2688 * 1520) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.01 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
Microphone Support	NO	NO	**Built-in**	NO	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	
Features	DWDR, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	NO	NO	Up to 256Gb	NO	
Material & Protection	Metal & plastic (IP67)	Aluminum (IP67)	Aluminum (IP67, IK10)	Aluminum (IP67, IK10)	
Price Pars	2.636.000	4.178.000	4.544.000	5.454.000	
Price Hika	3.000.000	3.870.000	4.420.000	CALL	
Price Fara	2.670.000	4.060.000	4.330.000	4.410.000	

Description	2MP | Economy Series	2MP | Economy Series	2MP | Economy Series	2MP | Economy Series	4MP | Economy Series
Model	DS-2CD1321G0E-I	DS-2CD1323G0E-I	DS-2CD1323G0-IUF	DS-2CD1327G0-L	DS-2CD1347G0-L
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Resolution	(1920 * 1080) 20 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
Microphone Support	NO	NO	**Built-in**	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR **(Color Vu)**	Up to 30m IR **(Color Vu)**
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
Sd-Card	NO	NO	Up to 256Gb	NO	NO
Material & Protection	(IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)
Price Pars	CALL	2.959.000	CALL	CALL	8.165.000
Price Hika	2.600.000	2.740.000	CALL	3.700.000	CALL
Price Fara	CALL	2.950.000	CALL	3.330.000	5.160.000

Description	5MP | Economy Series	5MP | Economy Series			
Model	DS-2CD1353G0-I	DS-2CD1357G0-L			
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS			
Resolution	(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps			
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.001 Lux @ (F1.0, AGC ON)			
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens			
Microphone Support	NO	NO			
IR Range	Up to 30m IR	Up to 30m IR **(Color Vu)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 256Gb	NO			
Material & Protection	Metal & plastic (IP67)	Metal & plastic (IP67)			
Price Pars	CALL	5.879.000			
Price Hika	CALL	CALL			
Price Fara	CALL	CALL			

Description	2MP | Economy Series	2MP | Economy Series	4MP | Economy Series	5MP | Economy Series	5MP | Economy Series
Model	DS-2CD1623G0-I	DS-2CD1623G0-IZ	DS-2CD1643G0-IZ	DS-2CD1653G0-I	DS-2CD1653G0-IZ
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	**vari-focal lens** - 2.8 to 12 mm	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	**vari-focal lens** - 2.8 to 12 mm	2.8 to 12 mm **Motorized**
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 50m IR	Up to 30m IR	Up to 50m IR
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb
Material & Protection	Metal (IP67)	Metal (IP67)	Metal (IP67)	Metal & plastic (IP67)	(IP67)
Price Pars	CALL	CALL	7.503.000	CALL	CALL
Price Hika	CALL	CALL	7.250.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	9.480.000

Description	2MP | Economy Series	4MP | Economy Series	5MP | Economy Series	5MP | Economy Series	
Model	DS-2CD1723G0-IZ	DS-2CD1743G0-IZ	DS-2CD1753G0-I	DS-2CD1753G0-IZ	
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	
Lens Type	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	**vari-focal lens** - 2.8 to 12 mm	2.8 to 12 mm **Motorized**	
Microphone Support	NO	NO	NO	NO	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	
Features	DWDR, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb	
Material & Protection	(IP67 , IK10)	Metal (IP67)	(IP67 , IK10)	(IP67)	
Price Pars	CALL	9.134.000	CALL	CALL	
Price Hika	6.800.000	8.100.000	CALL	8.980.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP | ProSeries AcuSense	2MP | ProSeries AcuSense	2MP | Pro Series	2MP | Pro Series	2MP | ProSeries AcuSense
Model	DS-2CD2021G1-I	DS-2CD2023G2-I	DS-2CD2025FWD-I	DS-2CD2025FHWD-I	DS-2CD2027G2-L
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR **(DarkFighter)**	Up to 30m IR **(DarkFighter)**	Up to 40m IR **(Color Vu)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Metal & plastic (IP67)	Metal (IP67)	Metal (IP67)	Metal (IP67)	(IP67)
Price Pars	4.998.000	6.124.000	CALL	7.006.000	7.104.000
Price Hika	CALL	4.940.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | Pro Series	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense
Model	DS-2CD2043G2-I	DS-2CD2043G2-IU	DS-2CD2045FWD-I	DS-2CD2046G2-I	DS-2CD2047G2-L
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.014 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	**Built-in**	NO	NO	NO
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR **(DarkFighter)**	Up to 40m IR **(DarkFighter)**	Up to 40m IR **(Color Vu)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	Up to 256Gb
Material & Protection	(IP67)	(IP67)	Metal (IP67)	(IP67)	(IP67)
Price Pars	6.656.000	7.911.000	CALL	7.237.000	7.773.000
Price Hika	6.220.000	CALL	CALL	CALL	7.210.000
Price Fara	CALL	CALL	CALL	CALL	7.850.000

Description	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense	8MP | Pro Series	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense
Model	DS-2CD2063G2-I	DS-2CD2066G2-I	DS-2CD2083G0-I	DS-2CD2083G2-I	DS-2CD2085G1-I
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS
Resolution	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3840 * 2160) 12.5 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 40m IR	Up to 40m IR **(Darkfighter)**	Up to 30m IR	Up to 40m IR	Up to 30m IR **(Darkfighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 512Gb	Up to 128Gb	Up to 256Gb	Up to 128Gb
Material & Protection	Aluminum & plastic (IP67)	Metal (IP67)	Metal (IP67)	Aluminum & plastic (IP67)	Metal & plastic (IP67, IK10)
Price Pars	7.305.000	8.022.000	CALL	7.919.000	11.716.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	7.100.000	CALL	CALL	CALL	CALL

Description	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense		
Model	DS-2CD2086G2-I	DS-2CD2087G2-L	DS-2CD2087G2-LU		
Image Sensor	1/1.8" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS		
Resolution	(3840 * 2160) 25 fps	(3840 * 2160) 25 fps	(3840 * 2160) 20 fps		
Min. Illumination	0.003 Lux @ (F1.6, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
Microphone Support	NO	NO	**Built-in**		
IR Range	Up to 40m IR **(Darkfighter)**	Up to 40m IR **(Color Vu)**	Up to 40m IR **(Color Vu)**		
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb		
Material & Protection	Metal (IP67)	Metal (IP67)	Metal (IP67)		
Price Pars	10.104.000	CALL	CALL		
Price Hika	CALL	14.850.000	CALL		
Price Fara	CALL	CALL	CALL		

Description	2MP | Pro Series	2MP | ProSeries AcuSense	2MP | ProSeries AcuSense	2MP | Pro Series	2MP | Pro Series
Model	DS-2CD2121G0-I	DS-2CD2123G2-I	DS-2CD2123G2-IU	DS-2CD2125FHWD-IS	DS-2CD2H25FWD-IZS
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 to 12 mm
Microphone Support	NO	NO	**Built-in**	support	support
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR **(DarkFighter)**	Up to 30m IR **(DarkFighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb
Material & Protection	(IP67)	Aluminum & plastic (IP67)	Aluminum & plastic(IP67,IK10)	Metal (IP67, IK10)	Metal (IP66, IK10)
Price Pars	CALL	CALL	6.281.000	CALL	13.887.000
Price Hika	4.100.000	4.350.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | Pro Series	4MP | ProSeries AcuSense
Model	DS-2CD2126G2-ISU	DS-2CD2143G2-I	DS-2CD2143G2-IU	DS-2CD2145FWD-IS	DS-2CD2146G2-I
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2592 * 1944) 20 fps
Min. Illumination	0.002 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	**Built-in**	NO	**Built-in**	Support	NO
IR Range	Up to 30m IR **(DarkFighter)**	Up to 30m IR	Up to 30m IR	Up to 30m IR **(Darkfighter)**	Up to 30m IR **(Darkfighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Aluminum & plastic(IP67,IK10)	(IP67 , IK10)	Aluminum & plastic(IP67,IK10)	Metal (IP67 , IK10)	(IP67 , IK10)
Price Pars	8.154.000	CALL	6.689.000	CALL	CALL
Price Hika	CALL	6.350.000	6.810.000	CALL	CALL
Price Fara	CALL	6.380.000	CALL	CALL	CALL

Description	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense			
Model	DS-2CD2146G2-ISU	DS-2CD2147G2-LSU			
Image Sensor	1/2.7" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS			
Resolution	(2592 * 1944) 20 fps	(2688 * 1520) 25 fps			
Min. Illumination	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)			
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 mm / 4mm fixed lens			
Microphone Support	**Built-in**	**Built-in**			
IR Range	Up to 30m IR **(DarkFighter)**	Up to 30m IR **(Color Vu)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 256Gb	Up to 512Gb			
Material & Protection	Metal (IP67 , IK10)	(IP67 , IK10)			
Price Pars	CALL	8.698.000			
Price Hika	7.070.000	CALL			
Price Fara	CALL	CALL			

Description	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense	
Model	DS-2CD2163G2-I	DS-2CD2163G2-IU	DS-2CD2166G2-I	DS-2CD2166G2-ISU	
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	
Resolution	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	
Lens Type	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	
Microphone Support	NO	**Built-in**	NO	**Built-in**	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR **(DarkFighter)**	Up to 30m IR **(DarkFighter)**	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 512Gb	Up to 256Gb	Up to 512Gb	Up to 512Gb	
Material & Protection	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	
Price Pars	CALL	7.192.000	CALL	8.739.000	
Price Hika	7.070.000	CALL	CALL	CALL	
Price Fara	CALL	7.280.000	CALL	CALL	

Description	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | Pro Series	8MP | ProSeries AcuSense
Model	DS-2CD2183G0-IS	DS-2CD2183G2-I	DS-2CD2183G2-IU	DS-2CD2185FWD-I	DS-2CD2186G2-I
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 12.5 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	Support	NO	**Built-in**	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR **(Darkfighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 512Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Metal & plastic (IP67 , IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	(IP67 , IK10)	(IP67 , IK10)
Price Pars	CALL	CALL	7.428.000	10.846.000	CALL
Price Hika	CALL	8.750.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	8MP | ProSeries AcuSense				
Model	DS-2CD2186G2-ISU				
Image Sensor	1/1.8" Progressive Scan CMOS				
Resolution	(3840 * 2160) 25 fps				
Min. Illumination	0.003 Lux @ (F1.6, AGC ON)				
Lens Type	2.8 mm / 4mm fixed lens				
Microphone Support	**Built-in**				
IR Range	Up to 30m IR **(Darkfighter)**				
Features	**WDR**, BLC, 3D-DNR, H.265+				
Sd-Card	Up to 256Gb				
Material & Protection	(IP67 , IK10)				
Price Pars	10.896.000				
Price Hika	CALL				
Price Fara	CALL				

Description	2MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	
Model	DS-2CD2327G2-L	DS-2CD2346G2-IU	DS-2CD2347G2-L	DS-2CD2347G2-LU	
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	
Lens Type	2.8 mm / 4mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	
Microphone Support	NO	**Built-in**	NO	**Built-in**	
IR Range	Up to 30m IR **(Color Vu)**	Up to 30m IR **(Darkfighter)**	Up to 30m IR **(Color Vu)**	Up to 30m IR **(Color Vu)**	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 512Gb	Up to 512Gb	Up to 256Gb	Up to 256Gb	
Material & Protection	Aluminum (IP67)	(IP67)	Aluminum (IP67)	Aluminum (IP67)	
Price Pars	8.111.000	7.682.000	7.891.000	8.976.000	
Price Hika	CALL	CALL	7.250.000	7.940.000	
Price Fara	CALL	CALL	CALL	8.620.000	

Description	4MP | Pro Series	5MP | Pro Series			
Model	DS-2CD1T43G2-LIU	DS-2CD1T57G0-L			
Image Sensor	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS			
Resolution	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps			
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.001 Lux @ (F1.0, AGC ON)			
Lens Type	4 mm / 6 mm fixed lens	4 mm / 6 mm fixed lens			
Microphone Support	**Built-in**	NO			
IR Range	Up to 50m IR	Up to 50m IR **(Color Vu)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 512Gb	Up to 256Gb			
Material & Protection	Metal & plastic (IP67)	Metal & plastic (IP67)			
Price Pars	4.801.000	CALL			
Price Hika	CALL	CALL			
Price Fara	CALL	7.150.000			

Description	4MP | Pro Series	4MP | Pro Series	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | Pro Series
Model	DS-2CD2T43G0-I5	DS-2CD2T43G0-I8	DS-2CD2T43G2-2I	DS-2CD2T43G2-4I	DS-2CD2T45FWD-I5
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 50m IR	Up to 80m IR	Up to 60m IR	Up to 80m IR	Up to 50m IR **(DarkFighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb
Material & Protection	Metal (IP67)	Metal (IP67)	Aluminum & plastic (IP67)	Aluminum & plastic (IP67)	Metal (IP67)
Price Pars	CALL	CALL	6.697.000	7.238.000	CALL
Price Hika	CALL	CALL	6.800.000	7.600.000	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP | Pro Series	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	4MP | ProSeries AcuSense	
Model	DS-2CD2T45FWD-I8	DS-2CD2T46G2-4I	DS-2CD2T46G2-ISU/SL	DS-2CD2T47G2-L	
Image Sensor	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	
Microphone Support	NO	NO	**Built-in**	NO	
IR Range	Up to 80m IR **(DarkFighter)**	Up to 80m IR **(DarkFighter)**	Up to 60m IR	Up to 60m IR **(Color Vu)**	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 512Gb	Up to 512Gb	Up to 256Gb	
Material & Protection	Metal (IP67)	Metal (IP67)	Aluminum (IP67)	Metal (IP67)	
Price Pars	CALL	CALL	CALL	9.558.000	
Price Hika	CALL	CALL	CALL	8.850.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	6MP | Pro Series	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense
Model	DS-2CD2T63G0-I8	DS-2CD2T63G2-2I	DS-2CD2T63G2-4I	DS-2CD2T66G2-2I	DS-2CD2T66G2-4I
Image Sensor	1/2.9" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS
Resolution	(3072 * 2048) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 80m IR	Up to 60m IR	Up to 80m IR	Up to 60m IR **(DarkFighter)**	Up to 80m IR **(DarkFighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 512Gb	Up to 256Gb	Up to 512Gb	Up to 256Gb
Material & Protection	Metal (IP67)	Aluminum & plastic (IP67)	Aluminum & plastic (IP67)	Metal (IP67)	Metal (IP67)
Price Pars	CALL	CALL	8.233.000	CALL	9.421.000
Price Hika	CALL	7.110.000	8.110.000	CALL	9.000.000
Price Fara	CALL	CALL	7.930.000	CALL	CALL

Description	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense
Model	DS-2CD2T83G2-2I	DS-2CD2T83G2-4I	DS-2CD2T85G1-I5	DS-2CD2T85G1-I8	DS-2CD2T86G2-4I
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 60m IR	Up to 80m IR	Up to 50m IR **(Darkfighter)**	Up to 80m IR **(Darkfighter)**	Up to 80m IR **(Darkfighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Aluminum & plastic (IP67)	Aluminum & plastic (IP67)	Metal (IP67)	Metal (IP67)	Metal (IP67)
Price Pars	CALL	9.390.000	10.426.000	13.473.000	12.015.000
Price Hika	9.570.000	10.500.000	CALL	CALL	11.860.000
Price Fara	CALL	CALL	CALL	CALL	11.500.000

Description	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense			
Model	DS-2CD2T87G2-L	DS-2CD2T87G2-LK			
Image Sensor	1/1.2" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS			
Resolution	(3840 * 2160) 25 fps	(3840 * 2160) 20 fps			
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)			
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens			
Microphone Support	NO	NO			
IR Range	Up to 60m IR **(Color Vu)**	Up to 60m IR **(Color Vu)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 512b	Up to 256Gb			
Material & Protection	Metal (IP67)	Metal (IP67)			
Price Pars	20.608.000	CALL			
Price Hika	CALL	15.560.000			
Price Fara	CALL	12.350.000			

Description	2MP | Pro Series	4MP | Pro Series			
Model	DS-2CD2327G2-L	DS-2CD2345FWD-I			
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS			
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps			
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.008 Lux @ (F1.2, AGC ON)			
Lens Type	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens			
Microphone Support	NO	NO			
IR Range	**(Color Vu)**	Up to 30m IR **(Darkfighter)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 512 Gb	Up to 128Gb			
Material & Protection	Aluminum (IP67)	Metal (IP67)			
Price Pars	8.111.000	CALL			
Price Hika	CALL	CALL			
Price Fara	CALL	CALL			

Description	2MP | Pro Series	2MP | Pro Series	4MP | Pro Series		
Model	DS-2CD2523G0-IS	DS-2CD2525FWD-I	DS-2CD2542FWD-IS		
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2688 * 1520) 20 fps		
Min. Illumination	0.028 Lux @ (F2.0, AGC ON)	0.009 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
Microphone Support	Support	NO	Support		
IR Range	Up to 10m IR	Up to 10m IR **(Darkfighter)**	Up to 10m IR		
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+		
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 128Gb		
Material & Protection	(IP66)	(IP66)	(IP66)		
Price Pars	CALL	CALL	CALL		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		

Description	2MP | Pro Series	4MP | ProSeries AcuSense	4MP | Pro Series	4MP | ProSeries AcuSense	
					
Model	DS-2CD2625FWD-IZS	DS-2CD2643G2-IZS	DS-2CD2645FWD-IZS	DS-2CD2646G2-IZS	
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	
Lens Type	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	
Microphone Support	Support	Support	Support	Support	
IR Range	Up to 50m IR **(Darkfighter)**	Up to 60m IR	Up to 50m IR **(Darkfighter)**	Up to 60m IR **(Darkfighter)**	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	
Material & Protection	metal (IP66 , IK10)	Aluminum (IP67 , IK10)	metal (IP66 , IK10)	ADC12 (IP67 , IK10)	
Price Pars	CALL	12.471.000	CALL	CALL	
Price Hika	CALL	12.540.000	CALL	14.340.000	
Price Fara	CALL	12.800.000	CALL	13.800.000	

Description	6MP | ProSeries AcuSense	6MP | ProSeries AcuSense			
Model	DS-2CD2663G2-IZS	DS-2CD2666G2-IZS			
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS			
Resolution	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps			
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)			
Lens Type	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**			
Microphone Support	Support	Support			
IR Range	Up to 60m IR	Up to 60m IR **(Darkfighter)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 256Gb	Up to 256Gb			
Material & Protection	Aluminum (IP67 , IK10)	metal (IP66 , IK10)			
Price Pars	CALL	15.264.000			
Price Hika	15.220.000	16.240.000			
Price Fara	CALL	17.300.000			

Description	8MP | Pro Series	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | Pro Series	8MP | ProSeries AcuSense
Model	DS-2CD2683G0-IZS	DS-2CD2683G2-IZS	DS-2CD2685G1-IZS	DS-2CD2685FWD-IZS	DS-2CD2686G2-IZS
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 15 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**
Microphone Support	Support	Support	Support	Support	Support
IR Range	Up to 50m IR	Up to 60m IR	Up to 50m IR **(Darkfighter)**	Up to 50m IR **(Darkfighter)**	Up to 60m IR **(Darkfighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 512Gb
Material & Protection	metal (IP66 , IK10)	Aluminum (IP67 , IK10)	Metal (IP67)	Metal (IP66, IK10)	Metal (IP66 , IK10)
Price Pars	CALL	14.268.000	CALL	CALL	18.159.000
Price Hika	CALL	16.290.000	CALL	CALL	18.620.000
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP | Pro Series	4MP | ProSeries AcuSense	4MP | Pro Series	4MP | ProSeries AcuSense	6MP | ProSeries AcuSense
Model	DS-2CD2721G0-IZS	DS-2CD2743G2-IZS	DS-2CD2745FWD-IZS	DS-2CD2746G2-IZS	DS-2CD2763G1-IZS
Image Sensor	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(3072 * 2048) 20 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.01 Lux @ (F1.2, AGC ON)
Lens Type	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**
Microphone Support	Support	Support	Support	Support	Support
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR **(Darkfighter)**	Up to 40m IR **(Darkfighter)**	Up to 30m IR
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	Up to 128Gb
Material & Protection	Metal (IP67 , IK10)	Metal & plastic (IP67 , IK10)	metal (IP66 , IK10)	(IP66 , IK10)	Metal (IP67 , IK10)
Price Pars	CALL	14.900.000	CALL	14.817.000	CALL
Price Hika	6.900.000	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	8MP | Pro Series	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	8MP | ProSeries AcuSense	
Model	DS-2CD2783G0-IZS	DS-2CD2783G2-IZS	DS-2CD2785G1-IZS	DS-2CD2786G2-IZS	
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	
Resolution	(3840 * 2160) 12.5 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	
Lens Type	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	2.8 to 12 mm **Motorized**	
Microphone Support	Support	Support	Support	Support	
IR Range	Up to 30m IR	Up to 40m IR	Up to 30m IR **(Darkfighter)**	Up to 40m IR **(DarkFighter)**	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb	
Material & Protection	Metal (IP66 , IK10)	Metal & plastic (IP67 , IK10)	Metal & plastic (IP67 , IK10)	Metal (IP66 , IK10)	
Price Pars	CALL	13.972.000	15.032.000	19.597.000	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	5MP | Pro Series Fisheye	5MP | Pro Series Fisheye	3MP | Pro Series Fisheye	1MP | Pro Series Pinhole	
Model	DS-2CD2955FWD-I	DS-2CD2955FWD-IS	DS-2CD6332FWD-IS	DS-2CD2D14WD	
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/4" Progressive Scan CMOS	
Resolution	(2560 * 1920) 25 fps	(2560 * 1920) 25 fps	(2048 * 1536) 25 fps	(1280 * 720) 30 fps	
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.1 Lux @ (F1.2, AGC ON)	0.028 Lux @ (F2.0, AGC ON)	
Lens Type	1.05 mm	1.05 mm	1.19 mm	3.2 mm	
Microphone Support	NO	Support	Support	NO	
IR Range	Up to 8m IR	Up to 10m IR	Up to 10m IR	-	
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 64Gb	NO	
Material & Protection	_	_	(IP66 , IK10)	-	
Price Pars	CALL	10.296.000	CALL	CALL	
Price Hika	CALL	CALL	CALL	2.080.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP | Pro Series Wi Fi	2MP | Pro Series Wi Fi	2MP | Pro Series Wi Fi	4MP | Pro Series Wi Fi	
Model	DS-2CD2420F-I(W)	DS-2CD2421G0-IW	DS-2CD2423G0-IW	DS-2CD2443G0-IW	
Image Sensor	_	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	
Resolution	_	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	_	0.028 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	
Lens Type	_	2.8 mm / 4mm Fixed lens	2.8 mm Fixed lens	2.8 mm / 4mm Fixed lens	
Microphone Support	**Built-in**	**Built-in**	**Built-in**	**Built-in**	
IR Range	Up to 10m IR	Up to 10m IR	Up to 10m IR	Up to 10m IR	
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	**WDR**, H.265+	**WDR**, 3D-DNR, H.265+	
Sd-Card	_	Up to 256Gb	Up to 128Gb	Up to 128Gb	
Material & Protection	plastic (IP66 , IK10)	plastic (IP66 , IK10)	plastic (IP66 , IK10)	plastic (IP66 , IK10)	
Price Pars	CALL	CALL	CALL	6.247.000	
Price Hika	CALL	CALL	6.550.000	7.500.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	4MP | Ultra Series	8MP | Ultra Series	2MP | UltraSeries AcuSense	2MP | Ultra Series	4MP | Ultra Series
					
Model	DS-2CD3T43G0-2I	DS-2CD3T85G0-4IS	DS-2CD3623G2-IZSUHK	DS-2CD3625G0-IZSUHK	DS-2CD3645G0-IZSUHK
Image Sensor	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	_	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(3840 * 2160) 20 fps	_	(1920 * 1080) 50 fps	(2688 * 1520) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.016 Lux @ (F1.6, AGC ON)	_	0.0068 Lux @ (F1.4, AGC ON)	0.011 Lux @ (F1.4, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm Fixed lens	2.8 / 4 / 6mm Fixed lens	_	2.7 to 13.5 mm **Motorized**	2.7 to 13.5 mm **Motorized**
Microphone Support	NO	NO	Support	Support	Support
IR Range	Up to 60m IR	Up to 90m IR **(DarkFighter)**	_	Up to 60m IR **(DarkFighter)**	Up to 60m IR **(DarkFighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	_	Up to 128Gb	Up to 128Gb
Material & Protection	Metal (IP67)	Metal & plastic (IP67)	_	Metal (IP67 & IK10)	Metal (IP67 & IK10)
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	11.140.000	16.850.000	14.700.000	15.200.000	16.500.000
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP | Ultra Series	4MP | Ultra Series AcuSense			2MP | Ultra Series
Model	DS-2CD3725G0-IZSUHK	DS-2CD3743G2-IZS			DS-2CD5126G0-IZSUHK
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS			1/1.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 50 fps	(2688 * 1520) 25 fps			(1920 * 1080) 50 fps
Min. Illumination	0.0068 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)			0.002 Lux @ (F1.2, AGC ON)
Lens Type	2.7 to 13.5 mm **Motorized**	2.7 to 13.5 mm **Motorized**			2.7 to 13.5 mm **Motorized**
Microphone Support	Support	Support			Support
IR Range	Up to 50m IR **(DarkFighter)**	Up to 40m IR			Up to 50m IR
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 512Gb			Up to 256Gb
Material & Protection	Metal (IP67 & IK10)	Metal & plastic (IP67 & IK10)			Metal (IK10)
Price Pars	CALL	CALL			CALL
Price Hika	15.500.000	17.000.000			20.710.000
Price Fara	CALL	CALL			CALL

Description	2MP | Pro Series	3MP | Pro Series	2MP | Pro Series	2MP | Pro Series	4MP | Pro Series
Model	DS-2DE4A225IW-DE	DS-2DE4A320IW-DE	DS-2DE4220IW-DE	DS-2DE4225IW-DE(S6)	DS-2DE4425IW-DE(T5)
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2048 * 1536) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	4.8 to 120 mm	4.7 mm to 94 mm	4.7 mm to 94 mm	4.8 to 120 mm	4.8 to 120 mm
Zoom	25X Optical zoom - 16X Digital Zoom	20X Optical zoom - 16X Digital Zoom	20X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom
IR Range	Up to 50m IR **(DarkFighter)**	Up to 50m IR	Up to 100m IR	Up to 100m IR **(DarkFighter)**	Up to 100m IR **(DarkFighter)**
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, HLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb
Material & Protection	(IP66)	(IP66)	(IP66)	ADC12 (IP66)	ADC12 (IP66)
Price Pars	CALL	CALL	CALL	21.459.000	25.215.000
Price Hika	CALL	CALL	CALL	21.300.000	24.000.000
Price Fara	CALL	CALL	CALL	CALL	25.800.000

Description	2MP | ProSeries TandemVu	4MP | ProSeries TandemVu			
Model	DS-2SE4C225MWG-E12	DS-2SE4C425MWG-E14			
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS			
Resolution	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps			
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)			
Lens Type	4.8 to 120 mm	4.8 to 120 mm			
Zoom	25X Optical zoom – 16X Digital Zoom	25X Optical zoom – 16X Digital Zoom			
IR Range	Up to 100m IR **(DarkFighter)**	Up to 100m IR **(DarkFighter)**			
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+			
Sd-Card	Up to 256Gb	Up to 256Gb			
Material & Protection	ADC12 (IP66)	ADC12 (IP66)			
Price Pars	28.834.000	32.900.000			
Price Hika	CALL	CALL			
Price Fara	CALL	CALL			

Description	2MP | Economy Series	2MP | Economy Series	2MP | Pro Series	1.3MP | Economy Series	1.3MP | Economy Series
Model	DS-2DE5220IW-AE	DS-2DE5230W-AE	DS-2DE5232IW-AE	DS-2DF5276-AE3	DS-2DF5276-AEL
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1280 * 960) 30 fps	(1280 * 960) 30 fps
Min. Illumination	0.02 Lux @ (F1.5, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)
Lens Type	4.7 to 94.0 mm	4.3 to 129 mm	4.8 to 153 mm	4.3 to 129 mm	4.3 to 129 mm
Zoom	20X Optical zoom – 16X Digital Zoom	30X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	**30X/20XOptical zoom –16X Digital Zoom**	**30X/20XOptical zoom –16X Digital Zoom**
IR Range	Up to 150m IR	_	Up to 150m IR	_	_
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb
Material & Protection	(IP66)	(IP66)	ADC12, PC, PC+10%GF(IP66)	(IP66)	(IP66)
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	CALL	39.000.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP | Pro Series	2MP | Pro Series	2MP | Pro Series	4MP | Pro Series	2MP | Pro Series
Model	DS-2DE5432IW-AE	DS-2DF6A236X-AEL	DS-2DE7232IW-AE	DS-2DE7A432IW-AEB	DS-2DF8236I5W-AELW
Image Sensor	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.9" Progressive Scan CMOS
Resolution	(2560 * 1440) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.2, AGC ON)	0.002 Lux @ (F1.5, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.5, AGC ON)	0.002 Lux @ (F1.5, AGC ON)
Lens Type	4.8 mm to 153 mm	5.7 mm to 205.2 mm	4.8 mm to 153 mm	5.9 mm to 188.8 mm	5.7 mm to 205 mm
Zoom	32X Optical zoom – 16X Digital Zoom	36X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom
IR Range	Up to 150m IR **(DarkFighter)**	Up to 200m IR **(DarkFighter)**	Up to 200m IR **(DarkFighter)**	Up to 200m IR **(DarkFighter)**	Up to 500m IR
Features	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to256Gb	Up to256Gb	Up to256Gb	Up to128Gb
Material & Protection	ADC 12, PC+10% GF (IP66)	Aluminum(IP67 , IK10)	ADC12, PC, PC+10%GF(IP66 , IK10)	ADC12 (IP66 , IK10)	(IP66 , IK10)
Price Pars	CALL	CALL	CALL	42.098.000	CALL
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP | Wi Fi KIT	4MP | Wi Fi KIT		
Model	NK42W0H-1T(WD)	NK44W0H-1T(WD)		
NVR – Channel Number	4-ch Wi-Fi	4-ch Wi-Fi		
NVR – Decoding Capacity	4-ch@1080p (25 fps) , **H265**	4-ch@4 MP (12 fps), **H265**		
NVR – In / Out bandwidth	50 Mbps / 40 Mbps	50 Mbps / 40 Mbps		
NVR – HDMI/VGA Output	1-ch , resolution : 1920 × 1080	1-ch , resolution : 1920 × 1080		
CAMERA – Image Sensor	Support	Support		
CAMERA – Resolution	Up to 50m IR **(DarkFighter)**	Up to 40m IR		
CAMERA – Min. Illumination	**WDR**, BLC, 3D-DNR, H.265+	**WDR**, BLC, 3D-DNR, H.265+		
CAMERA – IR Range	Up to 128Gb	Up to 512Gb		
CAMERA – Material & Protection	Metal (IP67 & IK10)	Metal & plastic (IP67 & IK10)		
Price Pars	CALL	CALL		
Price Hika	23.300.000	27.300.000		
Price Fara	CALL	CALL		

Description	4CH | Value Series	4CH | Value Series	4CH | Value Series PoE	4CH | Value Series	4CH | Value Series PoE
Model	DS-7104NI-Q1	DS-7104NI-Q1/M	DS-7104NI-Q1/4P/M	DS-7604NI-Q1	DS-7604NI-Q1/4P
Channel Number	4 Ch	4 Ch	4 Ch / 4 POE	4 Ch	4 Ch / 4 POE
Input bandWidth	40 Mbps	40 Mbps	40 Mbps	40 Mbps	40 Mbps
Output bandWidth	60 Mbps	60 Mbps	60 Mbps	80 Mbps	80 Mbps
Decoding Capacity	1-ch@4 MP (30 fps)	1-ch@4 MP (30 fps)	1-ch@4 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)
HDMI Output	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 8TB	1 HDD up to 8TB
Network interface	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	3.230.000	CALL	5.410.000	CALL
Price Fara	CALL	3.150.000	CALL	CALL	CALL

Description	4CH | Value Series	4CH | Value Series PoE			
Model	DS-7604NI-K1	DS-7604NI-K1/4P			
Channel Number	4 Ch	4 Ch / 4 POE			
Input bandWidth	40 Mbps	40 Mbps			
Output bandWidth	80 Mbps	80 Mbps			
Decoding Capacity	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)			
HDMI Output	1 Port HDMI : 4K	1 Port HDMI : 4K			
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
SATA interface	1 HDD up to 8TB	1 HDD up to 8TB			
Network interface	1 RJ45 10/100M	1 RJ45 10/100M			
Price Pars	6.156.000	8.274.000			
Price Hika	5.450.000	CALL			
Price Fara	CALL	CALL			

Description	8CH | Value Series	8CH | Value Series PoE	8CH | Pro Series	8CH | Pro Series	8CH | Pro Series PoE
Model	DS-7108NI-Q1/M	DS-7108NI-Q1/8P/M	DS-7608NI-Q1	DS-7608NI-Q2	DS-7608NI-Q2/8P
Channel Number	8 Ch	8 Ch / 8 POE	8 Ch	8 Ch	8 Ch / 8 POE
Input bandWidth	60 Mbps	60 Mbps	80 Mbps	80 Mbps	80 Mbps
Output bandWidth	60 Mbps	60 Mbps	80 Mbps	80 Mbps	80 Mbps
Decoding Capacity	1-ch@6 MP (30 fps)	1-ch@6 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)
HDMI Output	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB
Network interface	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M
Price Pars	4.938.000	CALL	CALL	CALL	CALL
Price Hika	CALL	CALL	5.830.000	6.840.000	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	8CH | Pro Series	8CH | Pro Series PoE	8CH | Pro Series	8CH | Pro Series AcuSense	8CH | Pro Series AcuSense
Model	DS-7608NI-K1	DS-7608NI-K1/8P	DS-7608NI-K2	DS-7608NXI-I2/S	DS-7608NXI-I2/8P/S
Channel Number	8 Ch	8 Ch / 8 POE	8 Ch	8 Ch	8 Ch / 8 POE
Input bandWidth	80 Mbps	80 Mbps	80 Mbps	80 Mbps	80 Mbps
Output bandWidth	80 Mbps	80 Mbps	160 Mbps	256 Mbps	256 Mbps
Decoding Capacity	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	2-ch@8 MP (30 fps)	1-ch@32 MP (30 fps)	16-ch@1080P (30 fps)
HDMI Output	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	1 HDD up to 8TB	1 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 14TB	2 HDD up to 8TB
Network interface	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M
Price Pars	6.834.000	12.619.000	CALL	CALL	CALL
Price Hika	6.130.000	CALL	7.250.000	18.500.000	24.500.000
Price Fara	5.700.000	CALL	CALL	CALL	CALL

Description	16CH | Pro Series	16CH | Pro Series	16CH | Pro Series PoE	16CH | Pro Series	16CH | Pro Series
Model	DS-7616NI-Q1	DS-7616NI-Q2	DS-7616NI-Q2/16P	DS-7616NI-K1	DS-7616NI-K2
Channel Number	16 Ch	16 Ch	16 Ch / 16 POE	16 Ch	16 Ch
Input bandWidth	160 Mbps	160 Mbps	160 Mbps	160 Mbps	160 Mbps
Output bandWidth	80 Mbps	80 Mbps	80 Mbps	80 Mbps	160 Mbps
Decoding Capacity	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)
HDMI Output	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB	1 HDD up to 8TB	2 HDD up to 10TB
Network interface	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
Price Pars	CALL	8.981.000	CALL	CALL	8.297.000
Price Hika	CALL	8.280.000	CALL	7.850.000	8.640.000
Price Fara	CALL	CALL	CALL	CALL	8.400.000

Description	16CH | Pro Series PoE	16CH | Pro Series AcuSense	16CH | Pro Series AcuSense	32CH | Pro Series	
Model	DS-7616NI-K2/16P	DS-7616NXI-K2/S	DS-7616NXI-I2/S	DS-7632NI-K2	
Channel Number	16 Ch / 16 POE	16 Ch	16 Ch	32 Ch	
Input bandWidth	160 Mbps	160 Mbps	160 Mbps	256 Mbps	
Output bandWidth	160 Mbps	160 Mbps	256 Mbps	160 Mbps	
Decoding Capacity	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	2-ch@32 MP (30 fps)	1-ch@12 MP (30 fps)	
HDMI Output	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	
SATA interface	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 14TB	2 HDD up to 10TB	
Network interface	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	
Price Pars	18.786.000	9.428.000	CALL	CALL	
Price Hika	17.790.000	CALL	21.710.000	14.210.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	16CH | Pro Series	16CH | Pro Series PoE	16CH | Pro Series	16CH | Pro Series PoE	16CH | Pro Series
Model	DS-7716NI-Q4	DS-7716NI-Q4/16P	DS-7716NI-K4	DS-7716NI-K4/16P	DS-7716NXI-K4
Channel Number	16 Ch	16 Ch / 16 POE	16 Ch	16 Ch / 16 POE	16 Ch
Input bandWidth	160 Mbps	160 Mbps	200 Mbps	160 Mbps	160 Mbps
Output bandWidth	80 Mbps	80 Mbps	160 Mbps	160 Mbps	160 Mbps
Decoding Capacity	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
HDMI Output	1 Port HDMI : 4K	1 Port HDMI : 4K	1Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
Network interface	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
Price Pars	CALL	CALL	18.998.000	CALL	19.266.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	32CH | Pro Series	32CH | Pro Series PoE	32CH | Pro Series	32CH | Pro Series PoE	32CH | Pro Series
Model	DS-7732NI-Q4	DS-7732NI-Q4/16P	DS-7732NI-K4	DS-7732NI-K4/16P	DS-7732NXI-K4
Channel Number	32 Ch	32 Ch / 16 POE	32 Ch	32 Ch / 16 POE	32 Ch
Input bandWidth	160 Mbps	160 Mbps	256 Mbps	256 Mbps	256 Mbps
Output bandWidth	80 Mbps	80 Mbps	160 Mbps	160 Mbps	160 Mbps
Decoding Capacity	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
HDMI Output	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
Network interface	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M
Price Pars	CALL	CALL	21.045.000	33.431.000	23.110.000
Price Hika	CALL	CALL	18.640.000	CALL	CALL
Price Fara	CALL	CALL	20.300.000	CALL	CALL

Description	32CH | DeepinMind Series	32CH | ProSeries AcuSense			
Model	iDS-7732NXI-I4/8S	DS-7732NXI-I4/S			
Channel Number	32 Ch	32 Ch			
Input bandWidth	320 Mbps	256 Mbps			
Output bandWidth	256 Mbps	256 Mbps			
Decoding Capacity	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)			
HDMI Output	2 Port HDMI : 4K	2 Port HDMI : 4K			
VGA Output	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
SATA interface	4 HDD up to 10TB	4 HDD up to 10TB			
Network interface	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M			
Price Pars	CALL	CALL			
Price Hika	CALL	40.900.000			
Price Fara	CALL	35.000.000			

Description	16CH | Ultra Series	32CH | Ultra Series	64CH | Ultra Series		
Model	DS-8616NI-K8	DS-8632NI-K8	DS-8664NI-I8		
Channel Number	16 Ch	32 Ch	64 Ch		
Input bandWidth	160 Mbps	256 Mbps	320 Mbps		
Output bandWidth	160 Mbps	160 Mbps	256 Mbps		
Decoding Capacity	2-ch@8 MP (25 fps)	2-ch@8 MP (25 fps)	1-ch@32 MP (30 fps)		
HDMI Output	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K		
VGA Output	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080		
SATA interface	8 HDD up to 8TB	8 HDD up to 8TB	8 HDD up to 10TB		
Network interface	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M		
Price Pars	CALL	CALL	CALL		
Price Hika	CALL	CALL	77.160.000		
Price Fara	CALL	CALL	CALL		

Description	32CH | Ultra Series	32CH | DeepinMind Series	32CH | DeepinMind Series	32CH | Ultra Series AcuSense	32CH | Ultra Series
Model	DS-9632NI-I8	DS-9632NI-M8	iDS-9632NXI-I8/4F	DS-9632NXI-I8/S	DS-9632NI-I16
Channel Number	32 Ch	32 Ch	32 Ch	32 Ch	32 Ch
Input bandWidth	320 Mbps	320 Mbps	256 Mbps	320 Mbps	320 Mbps
Output bandWidth	256 Mbps	400 Mbps	200 Mbps	256 Mbps	256 Mbps
Decoding Capacity	1-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)
HDMI Output	2 Port HDMI : 4K	2 Port HDMI : 8K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K
VGA Output	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 2560 * 1440	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080
SATA interface	8 HDD up to 10TB	8 HDD up to 16TB	8 HDD up to 12TB	8 HDD up to 10TB	16 HDD up to 10TB
Network interface	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M
Price Pars	CALL	CALL	321.389.000	73.902.000	CALL
Price Hika	74.740.000	71.000.000	CALL	81.700.000	CALL
Price Fara	68.000.000	CALL	CALL	CALL	CALL

Description	64CH | Ultra Series	64CH | Ultra Series AcuSense	64CH | Ultra Series AcuSense	64CH | Ultra Series	128CH | Ultra Series
Model	DS-9664NI-I8	DS-9664NI-M8	DS-9664NXI-I8/S	DS-9664NI-I16	DS-96128NI-I16
Channel Number	64 Ch	64 Ch	64 Ch	64 Ch	128 Ch
Input bandWidth	320 Mbps	400 Mbps	384 Mbps	320 Mbps	576 Mbps
Output bandWidth	256 Mbps	400 Mbps	256 Mbps	256 Mbps	512 Mbps
Decoding Capacity	1-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)
HDMI Output	2 Port HDMI : 4K	2 Port HDMI : 8K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K
VGA Output	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
SATA interface	8 HDD up to 10TB	8 HDD up to 16TB	8 HDD up to 14TB	16 HDD up to 10TB	16 HDD up to 10TB
Network interface	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	4 RJ45 10/100/1000M
Price Pars	CALL	CALL	96.863.000	CALL	CALL
Price Hika	92.200.000	92.300.000	106.140.000	121.000.000	258.200.000
Price Fara	89.000.000	CALL	CALL	CALL	CALL